

# Notice of Allowability

Application No.

10/676,996

Examiner

Connie C. Yoha

Applicant(s)

HWANG ET AL.

Art Unit

2827

pre

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/16/05.
2. ☒ The allowed claim(s) is/are 1-42.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (-as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 7/11/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

  
CONNIE C. YOHA  
PRIMARY EXAMINER

## **DETAILED ACTION**

### ***Response to Arguments***

1. Examiner took notice of the remarks and amendments made by applicant filed on 8/16/05.

### ***Response to Amendment***

2. This office action is in response to Amendment filed on 8/16/05.  
Claim 1, 3-4, 6, 14, 16, 22-26, 31 are amended.  
Claims 40-42 are newly added.
3. Claims 1-42 are pending.

### ***Allowable Subject Matter***

4. Claims 1-42 are allowed.
5. Claims 1-42 are considered allowable since prior art made of record and considered pertinent to the applicant's disclosure does not teach or suggest the claimed limitations having in combination with other features, a plurality of first and second supply lines capable of supplying a first and second operating voltage respectively to the plurality of sense amplifier regions; a first charge storing region arranged at one side of the core block and including first charge storing means connected to the first and second voltage supply lines; and a second charge storing region distinct from the first storing region arranged at an opposite side of the one side and including second charge storing means connected to the first and second voltage supply lines.

The prior art of record does not show the limitation of said control circuit includes in combination with other features, where the third is a third decoupling capacitor and fourth charge storing means is fourth decoupling capacitor.

The prior art of record does not show the limitation of said control circuit includes in combination with other features, a charging storing region arranged to surround the core region and comprising charge storing means connected to the first, second, third and fourth voltage supply lines and that the charge storing means are decoupling capacitor capable of storing a charge.

### ***Conclusion***

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to whose telephone number is (571) 272-1799. The examiner can normally be reached on Mon. - Fri. from 8:00 A.M. to 5:30 PM. The examiner's supervisor, David Nelms, can be reached at (571) 272-1787. The fax phone number for this Group is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-0956.

7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov> should you

Art Unit: 2827

have questions on access to the Private Pair system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



**C.Yoha**

September 2005



**CONNIE C. YOHA  
PRIMARY EXAMINER**